# DLA "Independent Review" Under the New OMB A-76 Circular Presentation to DLA A-76 Conference June 10, 2004

#### Previous Role

- Old OMB Circular Required Independent Review
- Certifies:
  - MEO Capability
  - MEO Costs
  - Process and Compliance
- Very In-Depth Review
- Focus on Resolution of Issues
- Post MEO Review

## Background

New OMB Circular Does Not Require "Independent Review"

Circular Does Not Require Post-Award Reviews

 Circular Does Not Prohibit IRs/Post-Award Reviews

Timeline Discourages IRs/Post-Award Reviews

#### Determination

DLA will Continue Independent
 Reviews and Post Award Reviews

 The Nature and Approach of These Reviews Will Change

### Components

Two Components

"Independent Review" of MEO

Post Performance Accountability Review

#### Post Performance Review

- Performance Accountability Emphasized in New Circular
  - Type of Monitoring Not Specified

Good Management Practice/Decisions

Help Withstand Audits, Reviews, Inquiries

Audit-Like – Independence Required

#### Post Performance Review

- Government MEO
  - Cost
  - Performance
  - Deviations

- Commercial Contractor
  - Performance
  - Contract Modifications
  - Administration

#### Post Performance Review

Mandatory – after 1 year full performance

Optional – thereafter

- Products Draft and Final Management Reports w/Recommendations
  - Draft Report 30 days after commencement
  - Final Report to Requiring Activity

# Decisions Pending

Post Performance Accountability
 Reviews

MEO/Vendor

Optional Reviews

# Action Pending

Post Performance AccountabilityReview Handbook

# Guidance Mods and Deviations

- PWS is a target it will change during execution
- Mods/Deviations allowed for changes in business requirements or workload
  - Commercial Contractor Mods
  - MEO Deviations

# Guidance Mods and Deviations (suggested)

- Suggested)Business Requirements or Workload
  - Modification allowable additive cost adjustment
- Avoidance of Mission Failure
  - Deviation non-additive cost adjustment

# Questions?



